

GasNet Limited

2022/23 Pricing Methodology

Gas Distribution Network Services

Valid from 1 October 2022 to 30 September 2023

Pursuant to:

Gas Distribution Information Disclosure Determination 2012 – consolidated- 3 April 2018

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Ma	nager:	Effective From:	01/10/2022	Page 1 of 16
General Manag	ger	Review Due:	31/07/2023	Page 1 01 16

Table of Contents

1.0	EXECUTIVE SUMMARY	3
2.0	BACKGROUND 2.1 About GasNet	
3.0	PRICING STRUCTURE	5
4.0	CONNECTION STATUS	5
5.0	PRICING METHODOLOGY 5.2 Revenue Requirements 5.3 Asset Valuation 5.4 Revenue Allocation 5.4.1 Pricing Model 5.4.2 Allocation of Total Revenue Requirement 5.4.3 Cost Allocators	
6.0	2022/23 PRICING YEAR	
7.0	PRICING METHODOLOGY ON-GOING REVIEW	10
8.0	SIGNIFICANT CHANGES TO THE PRICING METHODOLOGY	11
	COMPLIANCE WITH THE PRICING PRINCIPLESendix 1 - Network Services Price Schedule: Effective 1 October 2022 endix 2 - Compliance with the Price Path	12
	endix 2 - Compliance with the Frice Fath endix 3 - Director Certification	
whh	endix 3 - Director Gertingation	

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Ma	nager:	Effective From:	01/10/2022	Page 2 of 16
General Manag	ger	Review Due:	31/07/2023	Fage 2 01 10

1.0 EXECUTIVE SUMMARY

GasNet has agreed to adjust all network pricing charge values for the coming regulatory year commencing 1 October 2022.

This document is based on the new pricing structure and prices that apply to the pricing year commencing 1 October 2022. Information on the methodologies and pricing for previous years can be downloaded from GasNet's website at www.gasnet.co.nz/gasnet-disclosures.

This pricing covers GasNet's five discrete distribution systems already well-established in the Whanganui, Rangitikei and South Taranaki regions. The existing systems are small and have negligible difference in performance. As such prices are based on consolidation of assets and costs with prices applied evenly across all networks.

The pricing methodology is designed to demonstrate that GasNet's prices are consistent with the pricing principles and other regulatory obligations in the Gas Distribution Services Information Disclosure Determination 2012 – consolidated- 3 April 2018.

GasNet's annual target revenue requirement seeks the recovery of costs and an appropriate return on assets employed, expressed as follows:

GasNet's pricing model separately allocates each component of the revenue requirement to each Load Group. This includes the allocation of consumers into the Load Groups.

Cost allocators employed are the number of consumers, throughput (GJ), hourly capacity demand and asset base replacement cost and depreciated replacement cost.

There have been no substantive changes to the pricing methodology since last year. Pricing is consistent with the NZCC DPP3 Determination of May 2022 which results in fixed/variable charges increasing by approximately 8%. The prices that apply for the 2022/23 Pricing Year are set out in the following table.

	2021/22 Pricing Year		2022/23 Pricing Year			
Load Group	Fixed	Variable	Fixe	Fixed		able
	(\$/day)	(\$/GJ)	(\$/day)	Change	(\$/GJ)	Change
G12	\$0.454	\$7.534	\$ 0.490	7.9%	\$8.132	7.9%
G50	\$1.530	\$7.046	\$ 1.652	8.0%	\$ 7.606	7.9%
G180	\$5.355	\$5.043	\$ 5.781	8.0%	\$ 5.444	8.0%
G450	\$40.801	\$0.677	\$ 44.042	7.9%	\$0.731	8.0%
G1000	Individually Priced Individually Priced					


GasNet welcomes feedback from interested persons on any aspect of this Pricing Methodology document.

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0	
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0	
Responsible Ma	nager:	Effective From:	01/10/2022	Page 3 of 16	
General Manag	ger	Review Due:	31/07/2023	rage 3 of 16	

2.0 BACKGROUND

2.1 About GasNet

GasNet Limited is 100% owned by Whanganui District Council Holdings Limited.



GasNet Limited ("GasNet") commenced trading on 1 July 2008 after purchasing the network and metering business from Wanganui Gas Limited. Previously GasNet had been operating as an independent trading division of Wanganui Gas Limited and was responsible for managing the network and metering assets for the company.

On 30 June 2017 GasNet Limited and its parent Wanganui Gas Limited were amalgamated to become GasNet Limited. GasNet Limited is an energy company under the Energy Companies Act 1992.

2.2 Supply Area Coverage

GasNet's natural gas distribution network comprises approximately 10,100 connections across 5 discrete distribution systems located within the Whanganui, Rangitikei and South Taranaki regions serving the following areas:

- Whanganui;
- Marton:
- Bulls;
- Flockhouse; and
- Waitotara.

Further information on these networks and their coverage can be found within GasNet's Asset Management Plan which can be downloaded at www.gasnet.co.nz/gasnet-disclosures.

2.3 Regulatory Requirements

2.3.1 Pricing Principles

The Commerce Commission's *Gas Distribution Services Input Methodologies Determination 2012* requires compliance of GasNet's pricing and its methodology with specified pricing principles in addition to disclosure of the extent of consistency with the principles and reasons for any inconsistency. The pricing principles are provided in section 9.0 along with an explanation of how they are reflected in this pricing methodology.

2.3.2 Revenue Requirements

GasNet's revenue requirement is established in accordance with the Commerce Commission's Gas Distribution Services Default Price-quality Path Determination 2022.

2.3.3 Information Disclosure

The Commerce Commission's *Gas Distribution Information Disclosure Determination 2012 – consolidated- 3 April 2018* requires GasNet and all other gas distribution businesses to publicly disclose at the beginning of each Pricing Year, the methodology used to determine the prices payable for the provision of gas distribution services.

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0	
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	Version. 9.0	
Responsible Manager:		Effective From:	01/10/2022	Page 4 of 16	
General Manag	ger	Review Due:	31/07/2023	Fage 4 01 16	

2.3.4 Access to Determinations

The latest version of the determinations referred to in 2.3.1, 2.3.2 and 2.3.3 above can be downloaded from the Commission's website at www.comcom.govt.nz.

3.0 PRICING STRUCTURE

The following table provides the Load Groups applicable from 1 October 2022.

Load Group	Criteria	Consumers (No.)	Throughput (GJ)
G12	Up to 12 scmh	9,943	239,495
G50	>12 and ≤50 scmh	118	43,407
G180	>50 and ≤180 scmh	37	71,785
G450	>180 scmh	4	54,197
G1000	Individually Priced	10	842,392

10,112 1,251,276

Note: Shown Q data is for Q₂₀₂₁

4.0 CONNECTION STATUS

Each consumer connection on GasNet's network is identified by a unique identifier, known as an ICP (Installation Control Point), which is assigned a status code based on its connection status

In the case of an ICP that has been disconnected there are a range of status codes reflecting the wide range of scenarios that could give cause for a disconnection. In this situation where an ICP is physically disconnected from the network and gas cannot flow, daily fixed charges do not apply.

The following table lists each status code and whether the fixed daily charges apply.

ICP Status Code	Valid Connection Status	Connection Status Code	Network Fixed Daily Charges Apply
NEW	Pre-activation, service has not yet been installed	NEW	×
READY	Gas ready to flow	GIR	*
ACTC	Gas able to flow	GAS	✓
	Gas able to flow	GAS	✓
ACTV	Gas temporary disconnect – GMS remains, service turned off at service valve or supply capped or plugged	GTD	✓
INACT	Gas vacant disconnect – GMS remains, supply capped or plugged	GVC	×
	Gas vacant disconnect – GMS removed, supply capped or plugged	GVM	×
	Gas currently not required – GMS remains, supply capped or plugged	GNC	×
	Gas currently not required – GMS removed, supply capped or plugged	GNM	×
	Gas maintenance disconnect – GMS remains, supply capped or plugged	GMC	×
	Gas maintenance disconnect – GMS removed, supply capped or plugged	GMM	×
	Gas maintenance disconnect – GMS remains, service disconnected upstream of service valve by network operator	GMU	*
	Gas safety disconnect – GMS remains, supply capped or plugged	GSC	×
	Gas safety disconnect – GMS removed, supply capped or plugged	GSM	×
	Gas safety disconnect – GMS remains, service disconnected upstream of service valve by distributor	GSU	*
INACP	Gas permanent disconnect ready for GMS removal – GMS remains, supply capped or plugged	GPC	*
	Gas permanent disconnect ready for decommissioning – GMS removed, supply capped or plugged	GPM	×
DECR	Service disconnected from network outside property and service abandoned	GDE	×

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	
Responsible Ma	nager:	Effective From:	01/10/2022	Page 5 of 16
General Manag	ger	Review Due:	31/07/2023	rage 5 of 16

5.0 PRICING METHODOLOGY

5.1 As the combined size of GasNet's gas distribution networks is small and as there are negligible differences in performance within or between each of the 5 existing discrete networks listed in section 2.2 above, there is no benefit in segmenting them into different pricing networks, sub-networks, or geographic areas. The Pricing Methodology and prices are therefore based on consolidation of assets and costs, with prices applied evenly across all networks.

5.2 Revenue Requirements

GasNet's annual target revenue seeks the recovery of costs and an appropriate return on the assets employed, expressed mathematically as follows;

Where:

Return on Assets = up to a target return on the forecast Regulatory

Asset Base (RAB), using a pre-tax weighted average cost of capital of 7.5 % (based on the 67th percentile estimate of vanilla WACC of 6.1% allowable under the DPP with the cost of equity

grossed up for tax)

Depreciation = the forecast Regulatory Asset Base (RAB)

depreciation for the Pricing Year

Operating Costs = the forecast Operating Costs attributable to the

network business over the Pricing Year but

excluding Pass-through Costs

Pass-through Costs = the forecast operating costs to be paid during the

Pricing Year that fall within the same definition in the Gas Distribution Services Input Methodologies Determination 2012, which for

GasNet include, but are not limited to:

 Local and Regional Authority rates on GasNet's network assets payable under the Local Government (Rating) Act 2002; and

 Levies payable to the Commerce Commission under the Commerce (Levy for Control of Natural Gas Services) Regulations 2005; and

Regulations 2005, and

 Levies payable as a member of the Utility Disputes Limited Scheme.

5.3 Asset Valuation

The 30 June 2018 RAB, has been applied in GasNet's Pricing Model for 2022/23 Pricing Year. This is used instead of a later RAB for consistency with the existing methodology as the data is used for allocation proposes only.

5.4 Revenue Allocation

5.4.1 Pricing Model

The pricing model separately allocates each component of the Revenue Requirement, as outlined in 5.2 above, to each Load Group using appropriate cost allocators, based on the following key processes:

 Identification of the Total Revenue Requirement to be recovered from fixed and variable charges, by cost component as outlined above in 5.2;

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Ma	nager:	Effective From:	01/10/2022	Page 6 of 16
General Manag	ger	Review Due:	31/07/2023	Page 6 of 16

- Allocation of consumers into the Load Groups consistent with the structure discussed above in 3.0:
- Input of the identifying characteristics for each Load Group (e.g. number of ICPs, GJ, MHQ, etc.) which are used to allocate costs;
- Allocation of each component of the Total Revenue Requirement to the Load Groups using cost of supply allocators (referred to in 5.4.2 and 5.4.3 below) in order to determine the revenue to be recovered from each Load Group;
- Once the revenue requirement for each Load Group is determined, specification of the proportion of fixed and variable prices in order to test alternative price options;
- Application of the price options developed for each Load Group across the throughput bands evident in each Load Group to test the impact on high/average/low use consumers within each Load Group; and
- Refinement of the price options as required in order to meet regulatory requirements, management of price shock, and implementation of pricing signals consistent with the pricing principles.

5.4.2 Allocation of Total Revenue Requirement

The Total Revenue Requirement is derived from the sum of different cost components as outlined in 5.2 above, each of which being allocated using a range of applicable allocators. Allocators are selected from available data and where such data is not available, proxies based on the underlying cost drivers.

The following table provides the cost allocators that have been applied to the cost components that comprise the Total Revenue Requirement.

Total Revenue Requirement Cost Item	Cost Allocator
Return on Assets	Depreciated Replacement Cost
Depreciation	Replacement Cost
Operating Costs	
Direct	Depreciated Replacement Cost
Indirect	Number of ICP's
Pass-through	Depreciated Replacement Cost

5.4.3 Cost Allocators

The Cost Allocators described in 5.4.2 above and others used within the Pricing Model in the determination of prices, are described in further detail as follows.

5.4.3.1 Number of Consumers (ICP's)

The number of ICP's within each Load Group is based on the number of consumers expected to be connected during the Pricing Year with an ICP Status Code of "ACTC" and "ACTV" in the Gas Registry.

The ICP inventory is then consolidated to provide the number of ICP's that are connected to each of the 3 network pressure systems (IP, MP & LP) within each Load Group, for further use in establishing the value of the assets allocated to each Load Group, discussed in further detail in 5.4.3.4 below.

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0	
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	Version. 9.0	
Responsible Ma	nager:	Effective From:	01/10/2022	Page 7 of 16	
General Manag	ger	Review Due:	31/07/2023	rage / Oi 16	

	Netw	ork Pressure Sy	/stem	
Load Group	Intermediate Pressure (IP)	Medium Pressure (MP)	Low Pressure (LP)	Number of ICP's
G12	2	2,602	7,329	9,933
G50	6	80	30	116
G180	5	28	2	35
G450	3	3	-	6
G1000	7	3	-	10
	23	2,716	7,361	10,100

5.4.3.2 Throughput (GJ)

The annual throughput for each Load Group is the consolidation of the throughput for each individual ICP (consumer) for the 2021 Pricing Year.

	Netw	ork Pressure Sy	/stem	
Load Group	Intermediate Pressure (IP)	Medium Pressure (MP)	Low Pressure (LP)	Total Consumption (GJ)
G12	21	74,025	168,294	242,340
G50	3,231	30,832	7,593	41,656
G180	8,768	59,558	836	69,163
G450	16,983	92,237	=	109,221
G1000	738,711	63,798	=	802,510
	767,716	320,450	176,723	1,264,889

5.4.3.3 Hourly Capacity Demand

For the purpose of allocating asset values to each Load Group the hourly capacity demands of the consumers within each group has been attributed by their MHQ adjusted to allow for diversity of consumer demand.

The largest population of consumers of all the Load Groups are those with the industry standard 6m³ entry level meter making up almost 96%, the majority of which are domestic. A capacity demand MHQ of 0.5 scmh has been assigned to the predominantly domestic population of consumers with these meters, based on the actual maximum hourly quantity consumed in a metered residential suburb of 92 consumers within GasNet's Whanganui network in 2012. Engineering judgements have been made to adjust the hourly capacity demand for all other Load Groups with the ratio of diversified MHQ progressively increasing as the capacity of the Load Groups increase and the number of consumers' decrease, until at the largest Load Group the capacity demand is very close to the actual rated capacity.

	Netw	Network Pressure System		Total Hourly
Load Group	Intermediate Pressure (IP)	Medium Pressure (MP)	Low Pressure (LP)	Capacity Demand (scmh)
G12	3	1,488	4,136	5,627
G50	55	943	329	1,327
G180	344	2,208	112	2,664
G450	950	800	-	1,750
G1000	-	-	-	-
	1,352	5,439	4,577	11,368

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Ma	nager:	Effective From:	01/10/2022	Page 8 of 16
General Manag	ger	Review Due:	31/07/2023	rage o or 10

Note that the values for the G1000 Load Group are nil as this Hourly Capacity Demand cost allocator is used for asset allocation purposes only, and the G1000 Load Group has been allocated their share of the actual assets as outlined in 5.4.3.4 below.

5.4.3.4 Replacement Cost and Depreciated Replacement Cost

The 30 June 2018 Regulatory Asset Base (RAB) has been applied. This is used instead of a later RAB for consistency with the existing methodology as the data is used for allocation proposes only.

With the exception of the G1000 Load Group, assets are allocated to each Load Group based on their Hourly Capacity Demand on each of the 3 pressure systems within the networks (IP, MP & LP) as outlined in 5.4.3.3 above.

In the case of the G1000 Load Group, the assets for each individual ICP within the group are allocated on their share of the value of the specific assets utilised by each ICP from the Sales Gate to the GMS installation, plus an allocation for non-infrastructure assets, the latter treatment being consistent with that applied to the other Load Groups. This variation is necessary due to the distortion created by these ICP's being located close to the Sales Gate and with relatively high hourly capacity demands, which results in an overallocation of asset value.

Based on the allocation methodology described above, the apportionment of asset values to Load Groups for the 30 June 2018 RAB are as follows:

Replacement Cost		Intermed Pressure		N	Medium Pressure (MP) Low Pressure (LP)		sure	Total			
G12	\$	1,346	0.1%	\$	2,753,825	24.7%	\$3	33,194,511	90.4%	\$35,949,682	72.9%
G50	\$	26,432	1.8%	\$	1,744,965	15.6%	\$	2,640,409	7.2%	\$ 4,411,805	8.9%
G180	\$	165,318	11.6%	\$	4,085,772	36.6%	\$	898,863	2.4%	\$ 5,149,952	10.4%
G450	\$	456,546	31.9%	\$	1,480,352	13.3%	\$	-	0.0%	\$ 1,936,898	3.9%
G1000	\$	779,459	54.5%	\$	1,099,988	9.9%	\$	-	0.0%	\$ 1,879,447	3.8%
	\$1	L,429,099		\$:	11,164,903		\$3	36,733,782		\$49,327,785	

Depreciated Replacement Cost		Intermed Pressure		N	ledium Pre (MP)	ssure		Low Pres	sure	Total	
G12	\$	664	0.0%	\$	1,481,664	13.3%	\$1	15,056,293	41.0%	\$16,538,622	33.5%
G50	\$	13,051	0.9%	\$	938,859	8.4%	\$	1,197,631	3.3%	\$ 2,149,540	4.4%
G180	\$	81,626	5.7%	\$	2,198,303	19.7%	\$	407,704	1.1%	\$ 2,687,633	5.4%
G450	\$	225,420	15.8%	\$	796,487	7.1%	\$	-	0.0%	\$ 1,021,907	2.1%
G1000	\$	477,813	33.4%	\$	746,766	6.7%	\$	-	0.0%	\$ 1,224,579	2.5%
	Ś	798.574		\$	6.162.079		\$1	16.661.628		\$23.622.281	

6.0 2022/23 PRICING YEAR

6.1 Revenue Requirements

Based on current estimates of the cost components and the methodology outlined in 5.2 above, the Total Revenue Requirement for the 2022/23 Pricing Year is as follows:

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Ma	nager:	Effective From:	01/10/2022	Page 9 of 16
General Manag	ger	Review Due:	31/07/2023	Page 9 01 10

Cost Item	1	tal Revenue equirement			
Return on Assets	\$	1,883,200			
Depreciation	\$	853,000			
Operating Costs					
Direct	\$	1,011,500			
Indirect	\$	1,113,000			
Pass-through	\$	\$ 57,000			

Total Revenue Requirement \$ 4,917,700

6.2 Revenue Requirement Allocation to Load Groups

Based on the methodology and cost components outlined above, the Revenue Requirement for 2022/23 for each Load Group is as set out in the following table.

Load Group	Consumers	Throughput	20	21/22 Pricing Year	20	022/23 Pricin	g Year
Load Group	Connected	(G1)		Total Revenue	Tot	al Revenue	Change
G12	9,943	239,494.66	\$	3,463,820	\$	3,725,712	7.6%
G50	118	43,406.93	\$	353,879	\$	401,494	13.5%
G180	37	71,785.10	\$	414,771	\$	468,839	13.0%
G450	4	54,196.68	\$	159,672	\$	107,493	-32.7%
G1000	10	842,391.56	\$	198,921	\$	214,139	7.7%
	10.112	1.251.275	\$	4.591.063	\$	4.917.677	7.1%

Note: Shown Q data is for Q₂₀₂₁

6.3 Prices for 2022/23 Pricing Year

The prices that apply from 1 October 2022 for the 2022/23 Pricing Year are set out in the following table, in Appendix 1 and can be downloaded from GasNet's website at www.gasnet.co.nz/disclosures.

	2021/22 Pi	ricing Year	2022/23 Pricing Year				
Load Group	Fixed	Variable	Fixe	Fixed		Variable	
	(\$/day)	(\$/GJ)	(\$/day)	Change	(\$/GJ)	Change	
G12	\$0.454	\$7.534	\$ 0.490	7.9%	\$8.132	7.9%	
G50	\$1.530	\$7.046	\$ 1.652	8.0%	\$ 7.606	7.9%	
G180	\$5.355	\$5.043	\$ 5.781	8.0%	\$ 5.444	8.0%	
G450	\$40.801	\$0.677	\$44.042	7.9%	\$0.731	8.0%	
G1000	Individua	lly Priced	Individually Priced				

6.4 Fixed and Variable Charge Apportionment

On aggregate the total revenue from fixed daily charges comprise 44.9% and the variable throughput charges 55.1% of the total annual Revenue Requirement for the 2022/23 Pricing Year based on the pricing indicated in section 6.3 above.

7.0 PRICING METHODOLOGY ON-GOING REVIEW

Whilst the review of GasNet's pricing methodology in 2013 was considered to be a periodic review that would apply to the following five or more years (at least for the first regulatory period from 1 July 2013 to 30 September 2017), the methodology is subject to on-going review.

Changes that are minor by nature are referred to in the annual Pricing Methodology document produced by GasNet and published on its website prior to the commencement of the Pricing

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Ma	nager:	Effective From:	01/10/2022	Page 10 of 16
General Manag	ger	Review Due:	31/07/2023	Page 10 01 16

Year to which it applies. Significant changes to the methodology are subject to consultation with interested parties as considered appropriate for the change proposed.

8.0 SIGNIFICANT CHANGES TO THE PRICING METHODOLOGY

GasNet has not made any significant changes to its methodology. GasNet has initiated review of its pricing methodology during the regulatory year commencing 1 October 2021 and plans to continue this during the forthcoming regulatory year commencing 1 October 2022. This has been delayed due to the uncertainties created by the Climate Change Commission advice to Government and Government's decisions regarding same in May 2022, and the NZ Commerce Commission's DPP3 Determination in May 2022. GasNet also may consult with affected stakeholders during this period.

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Ma	nager:	Effective From:	01/10/2022	Page 11 of 16
General Manag	ger	Review Due:	31/07/2023	rage 11 01 16

9.0 COMPLIANCE WITH THE PRICING PRINCIPLES

GasNet is required under the IDD to describe the extent to which its pricing methodology is consistent with a set of gas distribution pricing principles. The table below summarises these pricing principles and how they are reflected in this pricing methodology.

Pricing Principle	Extent to which pricing methodology is consistent with pricing principles
(1) Prices are to signal the economic costs of service provision, by:	
(a) being subsidy free (equal to or greater than incremental costs, and less than or equal to standalone costs), except where subsidies arise from compliance with legislation and/or other regulation;	Incremental costs are the additional upfront and ongoing costs GasNet face in connecting a new consumer to the network. This typically includes costs associated with connection assets, ongoing operations and maintenance costs specific to that consumer, and network augmentation costs.
	GasNet's capital contributions policy requires a capital contribution from new consumers when the incremental capital costs associated with a new connection exceed the present value of expected future revenues. The combination of capital contributions and gas distribution prices therefore ensures that our prices are in excess of incremental capital costs.
	Operating and maintenance expenditure is recovered through distribution prices. Our fixed charge, based on a daily charge, ensures that we at least recover some of these incremental costs regardless of throughput. Charges also increase with the capacity size of the connection, which aligns pricing to incremental operating costs associated with various connection sizes.
	Stand alone costs are the full cost a consumer would face in being supplied from an alternative gas distribution system or alternative form of supply. For gas, stand alone cost is most likely to represent the full cost of converting from gas to electricity, including the cost of replacing gas appliances. GasNet has set its prices and pricing structures mindful of the fact that consumers have alternative supply options. Our pricing, and commercial business proposition, seeks to incentivise consumers connecting, and remaining connected, to distributed gas.
	Large consumers may also have options to bypass the distribution network for alternative networks, particularly where the consumer is close to a gas sales gate. GasNet offers non-standard pricing contracts to a number of large sites. These non-standard pricing arrangements are individually priced but based on the same cost-based methodology as applied to other consumers. They reduce bypass risk by making it economic for these consumers to connect, and remain connected, to the network.
(b) having regard, to the extent practicable, to the level of available service capacity; and	GasNet sets its consumer groups to align with standard load group types based on typical connection sizes. This aligns pricing with various end-consumer usage profiles and with the capacity of their connection assets, a key network cost driver.

Document No:	Document Name:	Approved:	oved: 06/09/2022 Version: 9.0			
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version: 9.0		
Responsible Manager:		Effective From:	01/10/2022	Page 12 of 16		
General Manager		Review Due:	31/07/2023	Page 12 01 16		

Pricing Principle	Extent to which pricing methodology is consistent with pricing principles
(c) signalling, to the extent practicable, the impact of additional usage on future investment costs.	GasNet's prices are based on a daily fixed supply charge and a throughput based tariff (in GJs). The throughput tariff ensures consumers that use more are charged more. This basic principle is effective in signalling the impact of additional usage on future investment costs. Similarly, the supply charge applying to each load grouping increases relative to the standard capacity size of the connection. This signals that larger connections typically have higher throughput and peak demand and therefore create higher investment costs.
(2) Where prices based on 'efficient' incremental costs would under-recover allowed revenues, the shortfall should be made up by setting prices in a manner that has regard to consumers' demand responsiveness, to the extent practicable.	GasNet's pricing is not based on willingness to pay or demand responsiveness considerations as this is not practicable to assess, but on load groupings based on typical connection sizes. We consider this most appropriately aligns with our investments in capacity, which is a key network cost driver.
(3) Provided that prices satisfy (1) above, prices should be responsive to the requirements and circumstances of stakeholders in order to:	
(a) discourage uneconomic bypass;	This principle allows for pricing and other incentives to discourage consumers bypassing GasNet's network to another supply alternative. As discussed above, GasNet seeks to discourage consumers bypassing the network in setting non-standard prices for large consumers close to a sales gate. This pricing recognises the alternative supply options these consumers have available to them.
(b) allow negotiation to better reflect the economic value of services and enable consumers to make price/quality trade-offs or non-standard arrangements for services.	This principle allows for negotiation over price in recognition of different levels of service or other arrangements of value to consumers. Price and quality trade-offs are primarily addressed under our capital contributions policy when scoping connection asset specifications. We are also always open to discussing non-standard pricing arrangements where appropriate.
(4) Development of prices is transparent, promotes price stability and certainty for consumers, and changes to prices have regard to the effect on consumers.	This methodology transparently sets out the approach we have adopted to determine prices for consumers connection to the network, and is publicly available via GasNet's website www.gasnet.co.nz.

Document No:	Document Name: Approved: 06/09/2022		Version: 9.0	
GNM-001	M-001 Pricing Methodology Gas Distribution Network – 1 October 2022 Last Amended: 06/09/2022			
Responsible Manager:		Effective From:	01/10/2022	Page 13 of 16
General Manager		Review Due:	31/07/2023	rage 13 01 16

Appendix 1 – Network Services Price Schedule: Effective 1 October 2022

Network Services Price Schedule

Effective from 1 October 2022

	Capacity (m³/hr)		Number of	Charge	Unit	New Prices from	Prices up to	
Load Group	More Than	Less than or Equal To	Consumers 2021	Туре	Charges	1 October 2022	30 September 2022	
G12	0	12	0.043	Fixed	\$/day	0.490	0.454	
G12	0	12	9,943	Variable	\$/GJ	8.132	7.534	
G50	12	50	118	Fixed	\$/day	1.652	1.530	
G50				Variable	\$/GJ	7.606	7.046	
6100	0100 51 100		27	Fixed	\$/day	5.781	5.355	
G180	51	180	37	Variable	\$/GJ	5.444	5.043	
C450	Greater than 180		4	Fixed	\$/day	44.042	40.801	
G450				Variable	\$/GJ	0.731	0.677	

- 1. Shown Q data is for Q₂₀₂₁
- 2. All rates are exclusive of GST
- Charges apply when the ICP Status Code in the Gas Registry is ACTC or ACTV
 Additional information is available on our website www.gasnet.co.nz.
- 5. If you have any questions please email us at enquiries@gasnet.co.nz or call us at (06) 349 2050.

Document No:	Document Name:	Approved:	06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Manager:		Effective From:	01/10/2022	Page 14 of 16
General Manager		Review Due:	31/07/2023	Page 14 01 16

Appendix 2 - Compliance with the Price Path

The following information is provided for informative purposes to demonstrate GasNet's compliance of the Pricing Methodology and the Prices that apply from 1 October 2022 with the Commerce Commission "Gas Distribution Services Default Price-Quality Path Determination 2022".

Allowable notional revenue for the First Assessment Period (Schedule 3 of the DPP Determination)

Allowable Notional Revenue for 2023 (ANR₂₀₂₃)

 $ANR_{2023} = MAR / \Delta D$

Where:

MAR (\$m) is the starting price specified in Sch 1 of the DPP Determination (\$4.852m)

ΔD is the value specified in Table 3 of Sch 3 in the DPP Determination (0.9961)

Therefore:

ANR₂₀₂₃ (\$m) \$ 4.871

Notional revenue for the First Assessment Period (Clause 8.4(a) of the DPP Determination)

Notional Revenue for 2023 (NR₂₀₂₃)

 NR_{2023} is the Notional Revenue for the Pricing Period ending in 2023 being equal to:

 $NR_{2023} = \Sigma_i P_{i,2023} \times Q_{i,2021} - (K_{2023} + V_{2023})$

 $\Sigma_i P_{i,2018} \times Q_{i,2016}$ is the revenue from all Load Groups based on the 2016 quantities and the 2018 prices as calculated in the table

 K_{2023} is the sum of all Pass-through Costs for the Pricing Year ending in 2018 (\$0.057m) V_{2023} is the sum of all Recoverable Costs for the Pricing Year ending in 2018 (nil)

Therefore:

NR₂₀₂₃ (\$m) \$ 4.861

Compliance with the Price Path (clause 8.3 of the DPP Determination)

Notional Revenue for each Assessment Period must not exceed the Allowable Notional Revenue for the Assessment Period, such that

 $ANR_{2023} \ge NR_{2023}$

Where:

ANR₂₀₂₃ is the Allowable Notional Revenue for the Pricing Period ending in 2023 as calculated above (\$4.871m)

NR₂₀₂₃ is the Notional Revenue for the Pricing Period ending in 2023 as calculated above (\$4.861m)

Therefore:

As Notional Revenue (NR) of \$4.861 does not exceed Allowable Notional Revenue (ANR) of \$4.871 the condition is

satisfied

Document No:	Document Name:	Approved: 06/09/2022		Version: 9.0	
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:			
Responsible Manager:		Effective From:	01/10/2022	Page 15 of 16	
General Manag	General Manager		31/07/2023	Page 15 01 16	

Appendix 3 - Director Certification

(Pursuant to the Gas Distribution Information Disclosure Determination 2012 – consolidated- 3 April 2018)

Schedule 18: Certification for Disclosures at the Beginning of a Pricing Year

Clause 2.9.2

We, Charles Peter Hazledine, and

Matthew James Doyle , being directors of GasNet Limited certify that, having made all reasonable enquiry, to the best of our knowledge:

- (a) the following attached information of GasNet Limited prepared for the purposes of clause 2.4.1 of the Gas Distribution Information Disclosure Determination 2012 in all material respects complies with that determination.
- (b) The prospective financial or non-financial information included in the attached information has been forecast on a basis consistent with regulatory requirements or recognised industry standards.

Director

Director

Date

Document No:	No: Document Name: A		06/09/2022	Version: 9.0
GNM-001	Pricing Methodology Gas Distribution Network – 1 October 2022	Last Amended:	06/09/2022	version. 9.0
Responsible Manager:		Effective From:	01/10/2022	Page 16 of 16
General Manager		Review Due:	31/07/2023	rage 10 01 10